

se & Nursery Price Catalog

se & Nursery Price Catalog



NETAFIM™
GROW MORE WITH LESS

TABLE OF CONTENTS

Ordering Information	1	Dripperlines	
Terms and Conditions	2	Space-It™ Drinkerline	19
Product Warranty	4	UniRam Drip Clip Drinkerline	19
Greenhouse/Nursery Literature Request Form	6	DripNet PC Drinkerline	20
Spray Stake Assemblies		UniRam Drinkerline	20
PC Spray Stake Assemblies	7	Streamline Drinkerline	20
Spray Stakes	7	Dripperline and PE Tubing Fittings	
Flex Black Polyethylene Tubing	7	16mm and 18mm Fittings and Connectors	21
Pre-Cut Flex Black Polyethylene Tubing	7	3/4" Fittings and Connectors	21
Dripper and Stake Assemblies		Space-It™ and Thinwall Drinkerline Fittings	21
SlimLine EZ Close™ Weight Assemblies	8	Filtration	
Red Plastic Weight Assemblies	8	Manual Disc Filters	22
Drinker Stake Assemblies	8	Automatic Disc-Kleen Filters	22
Drinker Assemblies		Galaxy Automatic Disc-Kleen Filters	23
Multi-Outlet Drinker Assemblies	9	Backflush Controllers	23
Drippers		Pressure Regulators	24
Woodpecker Pressure Compensating Junior		Air Vents and Water Meters	
Drippers - Barbed Outlet	10	Air Vents	25
Woodpecker Pressure Compensating Junior		Fertilizer Meters	25
Drippers - Nipple Outlet	10	Water Meters	25
Woodpecker Pressure Compensating Drippers	10	Valves	
Components		Electric Throttling 2-Way Valves	26
Drinker and Spray Stake Assembly	11	Electric 3-Way Valves	26
Multi-Outlet Drinker Assembly	11	Pressure Reducing Electric Valves	26
Miscellaneous	12	Controller	
Super Flex UV White™ Polyethylene Tubing	12	Aqua Pro Controller	27
Flex Polyethylene Tubing	12	Solenoids	27
Sprinklers		Valves with Controllers	
Vibro-Spray HF Sprinkler	13	Aqua Pro Controller with Aquanet Valves	27
Sprinkler Stand and Accessories	13	Aqua Pro Controller with Electric Throttling Valves ...	27
Sprinkler, Mister and Fogger Assemblies		Crop Management Technologies	
Ordering Guidelines	14	NMC Controllers	28
Base Assemblies	14	NMC Controller Options and Sensors	28
Head Assemblies	15	NetaJet	29
Components		FertiKit	29
Sprinkler, Mister and Fogger Components	16		
Assembly Components and Accessories	17		
Polyethylene Tubing			
PolyNet Flat Manifold	17		
Black Polyethylene Tubing	18		
Black Polyethylene Pre-Punch Tubing	18		
UV White™ Polyethylene Tubing	18		
UV White™ Polyethylene Pre-Punch Tubing	18		

ORDERING INFORMATION

Netafim USA appreciates your business. For your ordering convenience, our Customer Service Representatives can be contacted at:

NETAFIM USA CUSTOMER SERVICE

888-638-2346 (888-NETAFIM)

FAX 800-695-4753

6:00 AM - 5:00 PM PST

Netafim USA maintains a policy of continued product improvement.

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

ORDERING GUIDELINES

Use the following guidelines when placing an order with Netafim USA to ensure all the necessary information is provided.

1. Company Name and Netafim Account Number
2. Name of Person Placing Order and Phone Number
3. Shipping Information

Name of Company or Individual

Address (no PO Boxes)

City, State, Zip Code

Contact Name and Phone Number (optional for parcels)

Job Name or Reference (optional)

4. Purchase Order Number

5. Requested Ship Date

*If a precise date is not known, provide an approximate date. If no date is given, the order will be placed at the first available time slot in scheduling and it will ship as soon as it is complete. If you have a precise ship date, we will make every effort to target that date and time. If a specific date is given, the order will ship automatically and you will not receive a call prior to pulling/packing/loading. For truck loads, the driver will call for an appointment. Please let us know if we are required to hold the order until we are notified to ship. Any changes to the original ship date must be communicated to Netafim Customer Service 48 hours prior to shipping. **NOTE:** Held orders are subject to restrictions and/or may incur extra fees.*

6. Ship Method

If no preferences are specified, the order will ship best method at Netafim's discretion.

7. Netafim Item or Model Number for Products Needed

Use the correct time or model number and do not use a number with a different description. Consult your price list for the appropriate number or call Customer Service for assistance.

8. Specials or Price Quotes

If any specials or price quotes apply to the order, include this information on the purchase order.

9. Ship Order Complete

Indicate if the order is to ship complete. If not indicated on the order, it will be at Netafim's discretion to ship and backorder or ship complete.

10. Combining Orders

If order is to be combined with other orders for shipping, indicate the other order numbers.

TERMS AND CONDITIONS

PRICING

All prices shown are recommended retail prices. Wholesale prices are net pricing discounted from list prices. All prices are subject to change without notice. Orders will be invoiced at the prices and discounts in effect at the time of order. Prices do not include taxes, freight, or other surcharges.

PRODUCT CLASSIFICATION

Netafim USA's Greenhouse and Nursery Price Catalog represents our most commonly ordered products as well as some reference to options, which may be available. If you have a product requirement for something you do not see listed, please call Customer Service for availability, price, and delivery times. We will make every effort to fill your order and will work with you on any Special Order or Custom requests. In the case of Special Orders or Custom requests, prices and delivery will be quoted and the order will not be eligible for cancellation or return. Also, Special Orders or Custom requested products, manufactured or ordered to "non-standard" specifications, will be shipped immediately upon availability.

TERMS

All invoices are payable in United States Dollars at net thirty (30) days from the date of invoice, unless otherwise stated. All past due balances will be assessed a one and a half percent (1 1/2%) monthly finance charge.

Any check or remittance received from or for the account of buyer may be accepted and applied by Netafim USA against any indebtedness owed by buyer to Netafim USA without prejudice to or the discharge of the remainder of such indebtedness of any condition, provision, statement, legend or notation appearing on or referring to or accompanying such check or remittance.

ACCOUNT STATUS

All orders are subject to credit review. Shipments may be held until account is current.

FREIGHT TERMS

F.O.B./C.I.F. shipping location. Standard shipping method is our choice of carrier, shipped prepaid and added to the customer invoice. Shipments will be made within a one hundred fifty (150) mile radius of the dealer's store.

MINIMUM ORDER

Minimum invoice order amount is one hundred (\$100). This minimum order applies to whole good orders only and not to orders for repairs. A twenty dollar (\$20) per order charge will be assessed on all whole good orders less than the one hundred (\$100) minimum.

RETURNS

No merchandise may be returned without Netafim USA's written consent and authorization. Requests to return merchandise must be made within 120 days of receipt of shipment from Netafim USA and reference the Netafim USA invoice number. Any approved return must be accompanied by a return goods authorization (RGA) issued by Netafim USA, clearly marked on the exterior of the parcel and shipped freight prepaid within 30 days of RGA issue date. All merchandise must be new, in original packaging and in salable condition. Non-standard, Custom or Special Order items are not eligible for return. All approved returns are subject to a fifteen (15%) restocking fee. Any shipment not meeting these criteria will not be accepted.

RETURN OF DEFECTIVE GOODS

Netafim USA will be responsible for the return shipping of goods that are defective upon arrival, other than goods damaged in transport by the carrier. Notice of Defect must be received by Netafim USA within fourteen (14) days of the customer's receipt of said goods. The buyer agrees that failure to give notice of defects within such time is a waiver of any defect. Prior approval from the customer's District Sales Manager and an RGA must accompany all returns. Credit will not be given until the product has been received by Netafim USA and approved for warranty.

ACCEPTANCE

The customer acknowledges responsibility for inspecting all goods shipped by Netafim USA to determine whether said goods are conforming to the customer's order, including whether all goods listed on the packing list have been shipped and whether the shipment contains any damaged goods. The customer agrees that fourteen (14) days from receipt of said shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received notice of nonconformity within fourteen (14) days of the customer's receipt of the shipment, the customer agrees that the customer has accepted the goods, as that term is defined by the California Commercial Code, and the customer's right to reject the shipment will be terminated. Also, if notice of nonconformity is not received within fourteen (14) days of the customer's receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the customer will pay for the shipment in full. The customer shall bear the complete cost of the inspection in all circumstances.

The customer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The customer further agrees that, in the event that notice of nonconformity is received by Netafim USA, the time for Netafim USA's performance under the purchase agreement will be extended for a reasonable time to allow Netafim USA to tender conforming goods.

FREIGHT POLICY

Mixed Goods:

A maximum freight allowance of three percent (3%) of invoice amount, not to exceed the total freight charge, will be paid on single purchases of ten thousand dollars (\$10,000) or greater. Polyethylene tubing and Thinwall Dripperline not included. The three percent (3%) freight allowance will be given on invoice. Freight allowance does not apply to Will Call orders and only shipments in the continental United States.

Thinwall Dripperline:

Freight will be prepaid by Netafim USA on minimum orders of four (4) pallets of any combination of Space-It, DripNet PC or Streamline. Product must be purchased in pallet increments to qualify.

Polyethylene Tubing:

Complete truckloads of Polyethylene tubing will be shipped freight free in California only.

FREIGHT DAMAGES

The customer acknowledges that risk of loss during transport is on the customer. Netafim USA is not liable for damage or loss occurring during shipment. Claims for such damages must be filed with the freight carrier directly.

PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

BAGGED PRODUCTS

Netafim USA has a number of products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a "-B" at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed.

PARTIAL SHIPMENTS/COMPLETE SHIPMENTS

Netafim USA's goal is to ship customer orders complete and within the requested delivery time. Netafim USA will ship orders from any available warehouse unless otherwise specified by the customer and will "Ship and Backorder" to meet requested delivery dates unless otherwise specified by the Customer.

SPECIAL ORDERS

Custom assemblies (any assembly not listed in this catalog) will be billed as parts plus labor. Labor for custom assemblies is \$0.13 per step. A step is defined as a cut or an attachment.

PRODUCT WARRANTY

NETAFIM USA'S LIMITED WARRANTY/LIMITATION OF BUYER'S REMEDIES

(A) **BASIC MANUFACTURER'S LIMITED WARRANTY:**

Except as to products described in Subsections (B), (C), (D), (E), (F), (G), (H) and (I) below, products sold and/or manufactured by Netafim Irrigation, Inc. (Netafim USA) are warranted to be free from original defects in material and workmanship for a period of one (1) year from the date of delivery to the buyer unless (i) otherwise specified by and subject to the terms and conditions of any Warranty Supplements pertaining to specific products or, (ii) expressly disclaimed in writing by Netafim USA. Within the warranty period, Netafim USA at its sole discretion shall have the option to repair or replace part or all of a defective product, or refund part or all of the original purchase price, if any part proves to be defective in material or workmanship after return of such product at customer's expense and after such return has been authorized in writing by Netafim USA. THIS BASIC MANUFACTURER'S LIMITED WARRANTY IS SUBJECT TO THE TERMS AND PROVISIONS IN SUBSECTION (J), (LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES) SET FORTH BELOW IN THE EVENT OF ANY INCONSISTENCY BETWEEN SUBSECTION (A) AND SUBSECTION (J) OF THIS PRODUCT WARRANTY, THE PROVISIONS OF SUBSECTION (J) SHALL PREVAIL.

(B) **NETAFIM DRIPPERS:**

Netafim drippers are warranted to be free from original defects in materials and workmanship for a period of five (5) years.

(C) **BLANK POLYETHYLENE TUBING AND HEAVYWALL DRIPPERLINES:**

Blank polyethylene tubing and heavywall dripperlines are warranted to be free from original defects in materials and workmanship for a period of five (5) years and seven (7) years for environmental stress cracking. This warranty shall apply only to products with a wall thickness of 35 mil or greater.

(D) **THINWALL DRIPPERLINES:**

Warranted to be free from original defects in materials and workmanship in accordance with the following schedule:

- 8 mil dripperline - 1 year
- 13 mil dripperline - 2 years

(E) **FILTERS:**

Disc filters are warranted to be free from original defects in materials and workmanship for a period of five (5) years. This warranty specifically excludes gaskets, seals and o-rings, which are subject to the basic one (1) year warranty.

(F) **VALVES AND WATER METERS:**

Valve and water meter bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Water meter metering components (register and metering assembly) are warranted for three (3) years. Valve diaphragms are warranted for a period of two (2) years.

(G) **AIR VENTS:**

Air vent bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Polypropylene air vent bodies are warranted for two (2) years. This warranty specifically excludes internal seals, gaskets or o-rings which are subject to the basic one (1) year warranty.

(H) **SPRINKLERS:**

Vibro-Spray HF Sprinklers are warranted to be free from original defects in material and workmanship for a period of one (1) year.

(I) **CROP MANAGEMENT TECHNOLOGIES:**

Crop Management Technologies equipment is warranted to be free from original defects and workmanship for a period of one (1) year.

(J) LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED HEREIN, ALL WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, ARE HEREBY EXCLUDED AND DISCLAIMED.

THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE BUYER. NO OTHER EXPRESS WARRANTY IS GIVEN AND NO AFFIRMATION BY NETAFIM USA, BY WORDS OR ACTION, WILL CONSTITUTE A WARRANTY. NO OTHER EXPRESS WARRANTY NOR ANY OTHER REMEDY SHALL BE AVAILABLE TO THE BUYER AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DAMAGES, INCLUDING ANY LOSS OF PROFIT, LOST SAVINGS, LOSS OF SALES, OR OTHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INJURY OR DAMAGES TO ANY PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCTS OR THE BREACH OF ANY EXPRESS WARRANTY, EVEN IF NETAFIM USA HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES OR CLAIMS. NETAFIM USA SHALL NOT BE RESPONSIBLE FOR THE AFORESAID DAMAGES, CLAIMS OR LOSSES DUE TO LATE DELIVERY OR DELIVERY OR NON-DELIVER, OR OTHERWISE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AS SET FORTH HEREIN. IF NETAFIM USA SHALL FURNISH TECHNICAL ADVICE OR ASSISTANCE WITH RESPECT TO THE PRODUCTS SOLD HEREUNDER, IT SHALL BE GIVEN WITHOUT CHARGE TO BUYER AND SHALL BE GIVEN AND ACCEPTED AT BUYER'S SOLE RISK WITHOUT ANY EXPRESS OR IMPLIED WARRANTY AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR THE ADVICE OR THE RESULTS THEREOF. BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM USE OF THE PRODUCT PURCHASED.

This warranty is expressly conditioned upon proper storage, installation, application and normal greenhouse or nursery use and service as recommended by Netafim USA. Such recommendations may be updated from time to time. Any misuse, neglect, modifications, unauthorized repairs or replacement or uses of the product and/or any of its components for non-greenhouse or nursery purposes not recommended by Netafim USA, including but not limited to the following, shall completely void this warranty:

- (I) Irrigation water which has not been filtered or treated to the levels specified for individual components of the product by Netafim.
- (II) Chemical concentrates, used or applied internally or externally to the product, or mechanical abuse which is harmful to the product or its components.
- (III) Operating pressures greater than those specified by Netafim's individual component specifications.
- (IV) Damage or plugging caused by insects, rodents, other animals, improper installation or other mechanical damage.

THE EXPRESS WARRANTY PROVIDED HEREIN IS EFFECTIVE ONLY IF CLAIM IS MADE BY WRITTEN NOTICE WITHIN THE APPLICABLE WARRANTY PERIOD AND POSTMARKED WITHIN THIRTY (30) DAYS AFTER DISCOVERY OF THE DEFECT ON WHICH THE CLAIM IS BASED. SUCH NOTICE SHALL BE DELIVERED TO NETAFIM USA AT THE FOLLOWING ADDRESS:

**NETAFIM USA
5470 EAST HOME AVENUE
FRESNO, CALIFORNIA 93727
ATTN: PRODUCT MANAGEMENT**

The buyer shall, together with its notice of claim, offer Netafim USA in writing prompt opportunity to examine the defective product and correct the defect, if possible. This warranty shall be void unless buyer delivers the defective product to Netafim USA at buyer's sole cost and in accordance with Netafim USA's instructions.

Netafim USA Literature Department
5470 East Home Avenue
Fresno, CA 93727
www.netafimusa.com

SPRAY STAKE ASSEMBLIES

PC Spray Stake Assemblies


Pressure Compensating - Standard with Flex PE Tubing

For complete assembly: Order one (A) Dripper Assembly and one (B) PC Spray Stake

	Item Number	Model Number	Stake	Pattern	Tube Length	Pack Qty	Price Pack	Price Each
3.2 GPH Plum Stake								
A	40201-002020	01PSD032-36B	-	-	36"	25	16.25	0.65
	40201-024700	01PSD032-48B	-	-	48"	25	17.50	0.70
B	22500-002030	01PSDS-PL1-B	Standard	Single	-	50	12.50	0.25
	22500-005030	01PSDSR-PL1-B	Rod Mount	Single	-	50	12.50	0.25
6.6 GPH Grey Stake								
A	40201-002320	01PSD066-36B	-	-	36"	25	16.25	0.65
	40201-024800	01PSD066-48B	-	-	48"	25	17.50	0.70
B	22500-002130	01PSDS-GY1-B	Standard	Single	-	50	12.50	0.25
	22500-002230	01PSDS-GY2-B	Standard	Double	-	50	12.50	0.25
	22500-005180	01PSDSR-GY1-B	Rod Mount	Single	-	50	12.50	0.25
	22500-005330	01PSDSR-GY2-B	Rod Mount	Double	-	50	12.50	0.25
7.9 GPH Brown Stake								
A	40201-024950	01PSD079-36B	-	-	36"	25	16.25	0.65
	40201-024960	01PSD079-48B	-	-	48"	25	17.50	0.70
B	22500-002740	01PSDS-BR1-B	Standard	Single	-	50	12.50	0.25
	22500-003100	01PSDS-BR2-B	Standard	Double	-	50	12.50	0.25
	22500-005530	01PSDSR-BR1-B	Rod Mount	Single	-	50	12.50	0.25
	22500-005730	01PSDSR-BR2-B	Rod Mount	Double	-	50	12.50	0.25
10.6 GPH Blue Stake								
A	40201-024910	01PSD106-36B	-	-	36"	25	16.25	0.65
	40201-024900	01PSD106-48B	-	-	48"	25	17.50	0.70
B	22500-002420	01PSDS-BL1-B	Standard	Single	-	50	12.50	0.25
	22500-002670	01PSDS-BL2-B	Standard	Double	-	50	12.50	0.25
	22500-005880	01PSDSR-BL1-B	Rod Mount	Single	-	50	12.50	0.25
	22500-006030	01PSDSR-BL2-B	Rod Mount	Double	-	50	12.50	0.25

Minimum operating pressure - 22 psi.

NOTE: Sold in Pack Quantities ONLY



(A) Dripper Assembly

(B) PC Spray Stake - Standard



(B) PC Spray Stake - Rod Mount

Spray Stakes

Non-Pressure Compensating

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
22500-001030	01SSYL-B	Yellow Stake 3.0 GPH	100	17.00	0.17
22500-001120	01SSGN-B	Green Stake 5.0 GPH	100	17.00	0.17
22500-001220	01SSBK-B	Black Stake 7.0 GPH	100	17.00	0.17

NOTE: Sold in Bag Quantities ONLY



Flex Black Polyethylene (PE) Tubing (5/3 mm)


Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1000'
40001-002000	15FPE53	Flex Black PE Tubing 5/3mm	3,000'	139.59	46.53
40001-001980	15FPE53-1000	Flex Black PE Tubing 5/3mm	1,000'	46.53	46.53

Pre-Cut Flex Black Polyethylene (PE) Tubing (5/3 mm)

Item Number	Model Number	Length	Pack Qty	Price Pack	Price Each
40001-001300	15FPE53-36	36"	100	25.00	0.25
40001-001400	15FPE53-48	48"	100	33.00	0.33

NOTE: Sold in Pack Quantities ONLY

DRIPPER AND STAKE ASSEMBLIES



SlimLine EZ Close™ Weight Assemblies - 0.5 GPH


Pressure Compensating with Check Valve and Shut-Off Feature

Standard with Super Flex UV White PE Tubing

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
40201-015402	01HBA2W-18	18"	25	20.75	0.83
40201-015403	01HBA2W-24	24"	25	22.25	0.89
40201-015405	01HBA2W-36	36"	25	23.75	0.95
40201-015406	01HBA2W-48*	48"	25	31.00	1.24
00130-000033	1107008SC-B	Weight Only	25	10.75	0.40

* Assembled with WPC5 dropper.

NOTE: Sold in Pack Quantities ONLY



DISCONTINUED - Available While Supplies Last

Replaced by SlimLine EZ Close™ Weight Assemblies

Red Plastic Weight Assemblies - 0.5 GPH


Pressure Compensating with Check Valve and Shut-Off Feature

Standard with Super Flex UV White PE Tubing

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
40201-013900	01PWAJLC2W-18	18"	25	20.75	0.83
40201-014000	01PWAJLC2W-24	24"	25	22.25	0.89
40201-014100	01PWAJLC2W-36	36"	25	23.75	0.95
40201-013000	01PWAJLC2W-48*	48"	25	31.00	1.24

* Assembled with WPC5 dropper.

NOTE: Sold in Pack Quantities ONLY



Dripper Stake Assemblies - 0.5 GPH

Pressure Compensating with CNL Check Valve Feature

Standard with Super Flex UV White PE Tubing

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
40201-020600	01WPCJL2AW-24	24"	25	18.50	0.74
40201-020700	01WPCJL2AW-30	30"	25	19.50	0.78
40201-021000	01WPCJL2AW-36	36"	25	20.25	0.81

1.0 and 2.0 GPH Assemblies also available


NOTE: Sold in Pack Quantities ONLY

DRIPPER ASSEMBLIES

Multi-Outlet Dripper Assemblies

For complete assembly, order one **A** Manifold Assembly and one **B** Woodpecker Pressure Compensating Junior Drinker.

The flow per arrow dripper is equal to the dripper flow divided by the number of arrow drippers on that assembly. To ensure plants will receive equal water flow, use the same assemblies on each zone.



Flat 4-Way MOD Assemblies

Standard with Super Flex UV White PE Tubing

	Item Number	Model Number	Arrow Drinker	Tube Lengths	Pack Qty	Price Pack	Price Each
	40201-002550	014DM-1818F	Standard	(4) at 18"	25	48.00	1.92
	40201-002600	014DM-1818FS	Short	(4) at 18"	25	42.75	1.71
	40201-003200	014DM-1830F	Standard	(2) at 18" & (2) at 30"	25	52.25	2.09
A	40201-003300	014DM-1830FS	Short	(2) at 18" & (2) at 30"	25	47.25	1.89
	40201-003600	014DM-2424F	Standard	(4) at 24"	25	53.00	2.12
	40201-003800	014DM-2424FS	Short	(4) at 24"	25	48.00	1.92
	40201-003900	014DM-2436F	Standard	(2) at 24" & (2) at 36"	25	56.25	2.25
	40201-004400	014DM-3030F	Standard	(4) at 30"	25	56.75	2.27
B	21520-001740	01WPCJL8N-B	WPC Jr. Drinker 2.0 GPH		250	76.26	-

NOTE: Sold in Pack Quantities ONLY



Flat Stackable MOD Assemblies

Standard with Super Flex UV White PE Tubing

	Item Number	Model Number	Arrow Drinker	Tube Lengths	Pack Qty	Price Pack	Price Each
	40201-007500	014DMS-1818F	Standard	(4) at 18"	25	48.00	1.92
A	40201-008000	014DMS-2424F	Standard	(4) at 24"	25	53.00	2.12
	40201-008200	014DMS-2436F	Standard	(2) at 24" & (2) at 36"	25	56.25	2.25
	40201-008400	014DMS-3030F	Standard	(4) at 30"	25	56.75	2.27
B	21520-001740	01WPCJL8N-B	WPC Jr. Drinker 2.0 GPH		250	76.26	-

NOTE: Sold in Pack Quantities ONLY



Flat 2-Way MOD Assemblies

Standard with Super Flex UV White PE Tubing

	Item Number	Model Number	Arrow Drinker	Tube Lengths	Pack Qty	Price Pack	Price Each
A	40201-001500	012DM-2424F	Standard	(2) at 24"	25	29.50	1.18
	40201-001700	012DM-3030F	Standard	(2) at 30"	25	31.50	1.26
B	21520-001540	01WPCJL4N-B	WPC Jr. Drinker 1.0 GPH		250	76.26	-

NOTE: Sold in Pack Quantities ONLY

DRIPPERS

Woodpecker Pressure Compensating Junior Drippers (WPCJ)

With CNL Check Valve Feature and **Barbed Outlet**

Minimum Operating Pressure 10 psi

Used with SlimLine EZ Close™ Weight, Drifter Stake and PCNL Spray Stake Assemblies



Item Number	Model Number	Color-Coded Inlet/Outlet	Nominal Flow (GPH)	Carton Quantity	Bag Quantity	Price Per Carton or Bag	Price Per 1,000
21520-000900	01WPCJL1.2	Brown	0.26	13,000	-	3,578.90	275.30
21520-000930	01WPCJL1.2-B			-	250	76.28	305.10
21520-001000	01WPCJL2	Red	0.5	13,000	-	3,578.90	275.30
21520-001040	01WPCJL2-B			-	250	76.28	305.10
21520-001200	01WPCJL3	Blue	0.7	13,000	-	3,578.90	275.30
21520-001230	01WPCJL3-B			-	250	76.28	305.10
21520-001400	01WPCJL4	Grey	1.0	13,000	-	3,578.90	275.30
21520-001440	01WPCJL4-B			-	250	76.28	305.10
21520-001600	01WPCJL8	Green	2.0	13,000	-	3,578.90	275.30
21520-001640	01WPCJL8-B			-	250	76.28	305.10
21520-001670	01WPCJL12	Plum/Blk	3.2	13,000	-	3,578.90	275.30
21520-001690	01WPCJL12-B			-	250	76.28	305.10
21630-001500	01WPCJL25	Orange/Grey	6.6	13,000	-	3,578.90	275.30
21630-001530	01WPCJL25-B			-	250	76.28	305.10
21630-001700	01WPCJL30	Orange/Brown	7.9	13,000	-	3,578.90	275.30
21630-001730	01WPCJL30-B			-	250	76.28	305.10
21630-002100	01WPCJL40	Orange/Blue	10.6	13,000	-	3,578.90	275.30
21630-002135	01WPCJL40-B			-	250	76.28	305.10

NOTE: Drippers Sold in Bag or Carton Quantities ONLY

Woodpecker Pressure Compensating Junior Drippers (WPCJ)

With CNL Check Valve Feature and **Nipple Outlet**

Minimum Operating Pressure 10 psi

Used with Multi-Outlet Drifter Assemblies



Item Number	Model Number	Color-Coded Inlet	Nominal Flow (GPH)	Carton Quantity	Bag Quantity	Price Per Carton or Bag	Price Per 1,000
21520-001500	01WPCJL4N	Grey	1.0	12,000	-	3,303.60	275.30
21520-001540	01WPCJL4N-B			-	250	76.28	305.10
21520-001700	01WPCJL8N	Green	2.0	12,000	-	3,303.60	275.30
21520-001740	01WPCJL8N-B			-	250	76.28	305.10

NOTE: Drippers Sold in Bag or Carton Quantities ONLY

Woodpecker Pressure Compensating Drippers (WPC)

With CNL Check Valve Feature and **Nipple Outlet**

Minimum Operating Pressure 10 psi

Used with 48" SlimLine EZ Close™ and Plastic Weight Assemblies



Item Number	Model Number	Nominal Flow (GPH)	Bag Quantity	Price Per Bag	Price Per 1,000
21020-001333	WPC5-250	0.5	250	122.50	490.00

NOTE: Drippers Sold in Bag Quantities ONLY

NOTES:

The nominal flow rate in liters per hour is indicated on the cap: 1, 2, 3, 4 and 8.

The barbed outlet fits Super Flex UV White™ PE Tubing 15FPEW53 or Super Flex Black PE Tubing 15FPE53.

COMPONENTS



Dripper and Spray Stake Assembly Components

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-001125	1109006-B	5mm Insert Connector - Barb x Threaded	250	35.00	0.14
2	32000-002525	11002520-B	5mm Elbow	50	5.00	0.10
3	32000-002030	11WPCON-B	3mm Flex Tube Adapter (for nipple outlet drippers)	250	22.50	0.09
4	32000-001806	1101001-B	Angle Barbed Stake	250	35.00	0.14
5	32000-002220	1107008C-B	Red Plastic Weight with Shut-off Feature	25	8.75	0.35
6	32500-001335	11090552-B	5mm Tee Barb x Threaded x Threaded	250	45.00	0.18
7	00130-000033	1107008SC-B	Slimline EZ Close White Weight	25	10.00	0.40
-	00130-000031	01PSDROD-8	8", 12 Gauge Metal Rod for PC Rod Mount Stake	25	2.75	0.11
-	00130-000032	01PSDROD-12	12", 12 Gauge Metal Rod for PC Rod Mount Stake	25	3.25	0.13



Multi-Outlet Dripper Assembly Components

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32000-002570	01ADP4WPF-B	Flat 4-Way Manifold	100	16.00	0.16
2	32000-002589	01ADP4WPFS-B	Flat Stackable Manifold	100	16.00	0.16
3	32000-002538	01ADP2WPF-B	Flat 2-Way Manifold	100	20.00	0.20
4	32000-002440	01ADP4WP-B	Stackable Upright 4-Way Manifold	250	50.00	0.20
5	23000-001300	01MOD8-O-B	8-Way Multi-Outlet Dripper Manifold (non-PC)	250	277.50	1.11
6	22000-001320	01MODS-A-ANG-B	Angle Arrow Dripper (6 3/8" length)	100	20.00	0.20
7	22000-000920	01MODS-A-ANGS-B	Short Angle Arrow Dripper (3 3/4" length)	100	15.00	0.15
8	22000-001120	01MODS-ST-BK-B	Straight Arrow Dripper	100	20.00	0.20

COMPONENTS



Miscellaneous Components

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32000-001435	11WPSCAP-B	Dripper Shut-Off Plug	250	42.50	0.17
2	32000-001010	1107737-B	Goof Plug	10	1.10	0.11
3	45000-001200	682901033	3mm Punch (for drippers and sprinklers)	1	-	15.39
4	45000-002270	-	Hanging Sprinkler Assy Tool for tubes over 48"	1	-	57.19



Super Flex UV White™ Polyethylene (PE) Tubing (5/3 mm)

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
40001-002500	15FPEW53	Super Flex UV White PE Tubing 5/3mm	1,000'	51.28	51.28

Pre-Cut Super Flex UV White™ Polyethylene (PE) Tubing (5/3 mm)

Item Number	Model Number	Length	Pack Qty	Price Pack	Price Each
40001-002800	15FPEW53-18	18"	100	13.00	0.13
40001-002900	15FPEW53-24	24"	100	17.00	0.17
40001-003100	15FPEW53-30	30"	100	21.00	0.21
40001-003200	15FPEW53-36	36"	100	25.00	0.25

NOTE: Sold in Pack Quantities ONLY

Flex Black Polyethylene (PE) Tubing (5/3 mm)

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1000'
40001-002000	15FPE53	Flex Black PE Tubing 5/3mm	3,000'	139.59	46.53
40001-001980	15FPE53-1000	Flex Black PE Tubing 5/3mm	1,000'	46.53	46.53

Pre-Cut Flex Black Polyethylene (PE) Tubing (5/3 mm)

Item Number	Model Number	Length	Pack Qty	Price Pack	Price Each
40001-001300	15FPE53-36	36"	100	25.00	0.25
40001-001400	15FPE53-48	48"	100	33.00	0.33

NOTE: Sold in Pack Quantities ONLY

SPRINKLERS



Vibro-Spray HF Sprinkler - 1/2"

Nominal Flow 1 GPM at 30 psi - Female Threaded Connection

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
60500-024470	0302210-B	Vibro-Spray HF Sprinkler	25	57.50	2.30
63000-002360	032066208-B	1/2" Male Adapter x Male Micronet - Adapts to Hanging Sprinkler Assembly	25	32.25	1.29

Sprinkler Stand - For Connection to Polyethylene Supply Lateral

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
64520-002305	03N20STAND0948-B	Sprinkler Stand with connector, 9mm I.D. tubing, 48" length, PE barb, 1/2" FIPT 8mm stake adapter (stake not included)	25	89.75	3.59
65080-002610	03N265080002610	Female x Barb Connector for Sprinkler Stand	1	-	0.27
45000-001400	6804080	8mm Punch	1	-	34.97



SPRINKLER, MISTER & FOGGER ASSEMBLIES

ORDERING GUIDELINES


Ordering Netafim sprinkler, mister and fogger assemblies is a simple two step process:

1. Select a Sprinkler, Mister or Fogger head based on application:
 - Watering: Sprinkler
 - Germinating: Mister
 - Humidifying or Cooling: Fogger
2. Select a Base Assembly based on the type of pipe used to supply water:
 - Polyethylene
 - Threaded Pipe
 - Retrofit adapter for other manufacturer's fittings

The assembly is shipped as two parts (Head Assembly and Base Assembly) to be connected by the installer in the greenhouse.

Sprinklers and Misters: Use a 35 psi regulator and a 120 mesh filter.
Foggers: Use a 65 psi regulator and a 140 mesh filter.

Example of installed final assembly:



BASE ASSEMBLIES


Hanging Assembly for Sprinklers, Misters or Foggers

For Connection to Polyethylene (PE) Pipe

Item Number	Model Number	Tube Length	Pack Qty	Price Pack	Price Each
63000-004070	0300HSAC-12-B	12"	25	36.00	1.44
63000-005870	0300HSAC-24-B	24"	25	39.75	1.59
63000-006460	0300HSAC-30-B	30"	25	41.00	1.64
63000-007170	0300HSAC-36-B	36"	25	43.00	1.72
63000-008361	0300HSAC-48-B	48"	25	46.00	1.84
63000-008461	0300HSAC-48X-B	Extension*	25	24.75	0.99

Item Number	Model Number	Tube Length	Carton Qty	Price per Ctn	Price Each
63000-004060	0300HSAC-12	12"	200	248.00	1.24
63000-005860	0300HSAC-24	24"	200	272.00	1.36
63000-006450	0300HSAC-30	30"	150	213.00	1.42
63000-007160	0300HSAC-36	36"	150	225.00	1.50
63000-008350	0300HSAC-48	48"	150	244.50	1.63
63000-008450	0300HSAC-48X	Extension*	500	385.00	0.77

NOTE: Sold in Pack or Carton Quantities ONLY
 * For Creating Tube Lengths over 48"



1/2" Adapter

For Pipe Thread



Item Number	Model Number	Bag Qty	Price Bag	Price Each
63000-001210	03206-B	25	25.50	1.02

Retrofit Adapter

Connect Netafim head assemblies to other manufacturer's fittings

Item Number	Model Number	Bag Qty	Price Bag	Price Each
63000-002505	03302-B	25	8.75	0.35



SPRINKLER, MISTER & FOGGER ASSEMBLIES


HEAD ASSEMBLIES



Sprinkler Head Assemblies (Watering)



Code	Item Number	Model Number	Description	Flow (GPH)	Bag Qty	Price Bag	Price Each
VN-GN	64300-005110	0354050L-B	VibroNet Green Sprinkler	10.4	25	67.25	2.69
R-R-BL	64200-032030	0355120070BL-B	SpinNet Red Mist, Red Body, Blue Spinner	18.4	25	67.25	2.69
BR-BR-BL	64200-033030	0355160090BL-B	SpinNet Brown Mist, Brown Body, Blue Spinner	23.4	25	67.25	2.69
R-R-GY	64200-001302	03551200070L-B	SpinNet Red Mist, Red Body, Grey Spinner	18.4	25	67.25	2.69
BR-Y-GY	64200-001805	03552000090L-B	SpinNet Brown Mist, Yellow Body, Grey Spinner	23.4	25	67.25	2.69
R-R-GN	64200-010805	03551200070GL-B	SpinNet Red Mist, Red Body, Green Spinner	18.4	25	67.25	2.69
BR-BR-GN	64200-014005	03551600090GL-B	SpinNet Brown Mist, Brown Body, Green Spinner	23.4	25	67.25	2.69

NOTE: All Head Assemblies are standard with Check Valve. Flow indicated is at 30 psi.




Single Bench Solutions

Bench Width	Spacing Between Sprinklers	Height Above Crop 2' - 3'	Height Above Crop 3' - 5'
4 ft.	3 ft.	VN-GN	VN-GN
5 ft.	3 ft.	VN-GN	VN-GN
6 ft.	3 ft.	VN-GN	VN-GN



One Line Solutions for Single Bay or Quonset

Bay Width	Spacing Between Sprinklers	Height Above Crop 2' - 3'	Height Above Crop 4' - 5'	Height Above Crop 6' - 7'
10 ft.	3 ft.	R-R-BL	-	-
12 ft.	3 ft.	R-R-BL	R-R-BL	-
14 ft.	3 ft.	BR-BR-BL	BR-BR-BL	R-R-BL
15 ft.	3 ft.	R-R-GY	BR-BR-BL	R-R-BL
16 ft.	3 ft.	R-R-GY	BR-Y-GY	R-R-BL
18 ft.	3 ft.	R-R-GN	BR-Y-GY	BR-Y-GY
20 ft.	3 ft.	-	R-R-GN	BR-BR-GN
22 ft.	3 ft.	-	R-R-GN	BR-BR-GN
24 ft.	3 ft.	-	-	BR-BR-GN



Two Line Solutions for Single Bay or Quonset

Bay Width	Spacing Between Sprinklers	Spacing Between Sprinkler Lines	Height Above Crop 3'	Height Above Crop 4' - 5'	Height Above Crop 6' - 7'
20 ft.	3 ft.	11 ft.	R-R-BL	-	-
22 ft.	3 ft.	12 ft.	R-R-BL	R-R-BL	-
24 ft.	3 ft.	12 ft.	R-R-BL	R-R-BL	R-R-BL
26 ft.	3 ft.	14 ft.	BR-BR-BL	R-R-BL	R-R-BL
28 ft.	3 ft.	15 ft.	BR-BR-BL	R-R-BL	R-R-BL
30 ft.	3 ft.	16 ft.	R-R-GY	R-R-GY	BR-BR-BL
32 ft.	3 ft.	17 ft.	R-R-GN	R-R-GY	BR-BR-BL
34 ft.	3 ft.	18 ft.	R-R-GN	R-R-GY	BR-BR-BL
36 ft.	3 ft.	19 ft.	R-R-GN	R-R-GY	R-R-GN
38 ft.	3 ft.	20 ft.	BR-BR-GN	R-R-GN	R-R-GN

SPRINKLER, MISTER & FOGGER ASSEMBLIES

Misting Head Assemblies (Germinating)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
64300-000965	0354025L-B	VibroNet Mister, 5.3 GPH at 30 psi Brown nozzle w/Check Valve	25	67.25	2.69



CoolNet Fogger Head Assemblies (Humidifying or Cooling)

Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
63100-001152	0306643LL-B	CoolNet Fogger, 4 Nozzles w/Check Valve Purple (Standard) Pin, 8.1 GPH @ 60 psi (opening pressure 28 psi)	25	128.25	5.13
63100-001202	0306643HL-B	CoolNet Fogger, 4 Nozzles w/Check Valve Orange (Special Order) Pin, 8.1 GPH @ 60 psi (opening pressure 58 psi)	25	128.25	5.13



COMPONENTS



①



②



③



④




⑤

Sprinkler, Mister and Fogger Components

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	64300-005010	0354050-B	VibroNet Sprinkler Green - 10.4 GPH at 30 psi	25	30.00	1.20
	64300-000955	0354025-B	VibroNet Mister Brown - 5.3 GPH at 30 psi	25	30.00	1.20
2	63000-002987	0340020-B	Check Valve, Blue Pin (opens 22 psi, closes 10 psi)	25	34.00	1.36
	63000-003005	0340017-B	Check Valve, Purple Pin (opens 28 psi, closes 13 psi)	25	34.00	1.36
	63000-003205	0340037-B	Check Valve, Orange Pin (opens 58 psi, closes 26 psi)	25	34.00	1.36
3	64200-026005	0355120070B-B	SpinNet Assy, Red Mist, Red Body, Blue Spinner	25	30.00	1.20
	64200-033010	0355160090B-B	SpinNet Assy, Brown Mist, Brown Body, Blue Spinner	25	30.00	1.20
	64200-001255	03551200070-B	SpinNet Assy, Red Mist, Red Body, Grey Spinner	25	30.00	1.20
	64200-001785	03552000090-B	SpinNet Assy, Brown Mist, Yellow Body, Grey Spinner	25	30.00	1.20
	64200-010760	03551200070G-B	SpinNet Assy, Red Mist, Red Body, Green Spinner	25	30.00	1.20
	64200-013960	03551600090G-B	SpinNet Assy, Brown Mist, Brown Body, Green Spinner	25	30.00	1.20
4	63100-001105	0306643-B	CoolNet Fogger 4 nozzles - 8.1 GPH at 60 psi	25	95.00	3.80
5	63120-001805	0306600-B	CoolNet Fogger Blocker for 1 nozzle	25	4.00	0.16

COMPONENTS



Assembly Components and Accessories

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	63000-001953	03220W-B	Barb x Female Connector - White	25	3.75	0.15
2	63000-001355	031748W-B	Barb x Barb Connector	25	3.75	0.15
3	63000-002505	03302-B	Retrofit Adapter - Female (adapts Netafim to other mfg fittings)	25	8.75	0.35
4	63000-002610	03303-B	Retrofit Adapter - Male (adapts other mfg sprinklers to Netafim)	25	3.00	0.12
5	63000-002915	03330C-B	White Stabilizer Weight	25	10.00	0.40
6	63000-001210	03206-B	1/2" Adapter for Pipe Thread	25	25.50	1.02
7	63000-002420	03301-B	Plug (replaces sprinkler or mister head)	100	21.00	0.21
8	45000-001200	682901033	3mm Punch (for drippers and sprinklers)	1	-	15.39
9	45000-002270	-	Hanging Sprinkler Assembly Tool for tube lengths over 48"	1	-	57.19

POLYETHYLENE TUBING



PolyNet Flat Manifold

Item Number	Model Number	Size	Inside Diameter	Outside Diameter	Coil Length	Pressure Rating (psi)	Price Per Coil	Price Per 1,000'
43001-000005	PN1.25-42-400	1.25"	1.365"	1.513"	400'	42	283.87	709.67
43001-000007	PN1.50-42-350	1.5"	1.595"	1.771"	350'	42	303.72	867.78

POLYETHYLENE TUBING

Black Polyethylene (PE) Tubing *

Item Number	Model Number	Inside Diameter	Outside Diameter	Size	Coil Length	Price Coil (Ea)	Price Per 1,000'
40510-000003	14052062	.520"	.620"	16mm	1,000'	168.97	168.97
40510-000025	14052062-05	.520"	.620"	16mm	500'	87.51	175.01
40510-000024	14052062-01	.520"	.620"	16mm	100'	22.21	222.08
40510-000005	14060070	.600"	.700"	18mm	1,000'	188.29	188.29
40510-000036	14060070-05	.600"	.700"	18mm	500'	96.56	193.12
40510-000018	14082094	.820"	.940"	3/4"	500'	147.25	294.49
40510-000070	14082094-01	.820"	.940"	3/4"	100'	33.79	337.94
40510-000020	14106120	1.06"	1.20"	1"	500'	238.37	476.74
40510-000085	14106120-01	1.06"	1.20"	1"	100'	56.61	566.05



* For orders over 5,000', please call Netafim USA Customer Service for a price quote.

Black Polyethylene (PE) Pre-Punch Tubing *

Item Number	Model Number	Inside Diameter	Outside Diameter	Pre-Punch Spacing	Size	Coil Length	Price Coil (Ea)	Price Per 1,000'
40510-000234	84820940-36	.820"	.940"	36"	3/4"	500'	155.70	311.39
40510-000242	84106120-36	1.06"	1.20"	36"	1"	500'	247.42	494.84

* For orders over 5,000', please call Netafim USA Customer Service for a price quote.

UV White™ Polyethylene (PE) Tubing *

Item Number	Model Number	Inside Diameter	Outside Diameter	Size	Coil Length	Price Coil (Ea)	Price Per 1,000'
40510-000100	14W052062-05	.520"	.620"	16mm	500'	99.58	199.15
40510-000105	14W082094	.820"	.940"	3/4"	500'	168.97	337.94
40510-000106	14W082094-01	.820"	.940"	3/4"	100'	38.86	388.63
40510-000108	14W106120	1.06"	1.20"	1"	500'	274.58	549.15
40510-000109	14W106120-01	1.06"	1.20"	1"	100'	65.05	650.53



* For orders over 5,000', please call Netafim USA Customer Service for a price quote.

UV White™ Polyethylene (PE) Pre-Punch Tubing *

Item Number	Model Number	Inside Diameter	Outside Diameter	Pre-Punch Spacing	Size	Coil Length	Price Coil (Ea)	Price Per 1,000'
40510-000252	84W820940-36	.820"	.940"	36"	3/4"	500'	177.42	354.84
40510-000181	84W106120-36	1.06"	1.20"	36"	1"	500'	283.03	566.05

* For orders over 5,000', please call Netafim USA Customer Service for a price quote.

DRIPPERLINES

DRIPPERLINES FOR WATERING CONTAINERS



Space-It™ Dripperline

Thinwall Dripperline with Dripper Visibly Marked on Tubing

For Use Over Containers

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
16523-000100	06SL8636.2DM-10	Space-It .636" diameter, 8 mil, 10" spacing, 0.2 GPH	9,000'	1,002.15	111.35
16523-000101	06SL8636.2DM-12	Space-It .636" diameter, 8 mil, 12" spacing, 0.2 GPH	9,000'	776.79	86.31
16523-000102	06SL8636.4DM-14	Space-It .636" diameter, 8 mil, 14" spacing, 0.4 GPH	9,000'	772.02	85.78
16523-000103	06SL8636.4DM-16	Space-It .636" diameter, 8 mil, 16" spacing, 0.4 GPH	9,000'	766.62	85.18
16523-000104	06SL8636.4DM-18	Space-It .636" diameter, 8 mil, 18" spacing, 0.4 GPH	9,000'	761.76	84.64
16523-000105	06SL8636.4DM-20	Space-It .636" diameter, 8 mil, 20" spacing, 0.4 GPH	9,000'	756.81	84.09
16523-000106	06SL8636.4DM-24	Space-It .636" diameter, 8 mil, 24" spacing, 0.4 GPH	9,000'	751.59	83.51



UniRam Drip Clip Dripperline

Heavywall Pressure Compensating Dripperline with Drip Clips Pre-installed; Two at each Dripper

For Hanging Baskets or Over Nursery Containers

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
14201-000106	08VUR18.6-242EW	UniRam 18mm, 24" spacing, 0.6 GPH	1,000'	492.26	492.26
14201-000107	08VUR18.6-302EW	UniRam 18mm, 30" spacing, 0.6 GPH	1,000'	443.83	443.83

Additional diameters, spacings and flow rates available, please call Netafim USA Customer Service.
Subject to minimum order quantity of 3 coils.

DRIPPERLINES

DRIPPERLINES FOR FIELD PRODUCTION



DripNet PC Dripperline

Thinwall Pressure Compensating Dripperline

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
17606-000002	06DF63613.26-12	DripNet PC .636" diameter, 13 mil, 12" spacing, 0.26 GPH	4,000'	599.48	149.87
17606-000026	06DF63613.4-18	DripNet PC .636" diameter, 13 mil, 18" spacing, 0.4 GPH	4,000'	546.08	136.52
17606-000009	06DF63613.4-24	DripNet PC .636" diameter, 13 mil, 24" spacing, 0.4 GPH	4,000'	499.20	124.80

Additional wall thicknesses, spacings and flow rates available, please call Netafim USA Customer Service.
Subject to minimum order quantity of 3 coils.



UniRam Dripperline

Heavywall Pressure Compensating Dripperline

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
14201-000002	08UR18.6-12	UniRam 18mm, 12" spacing, 0.6 GPH	1,000'	538.40	538.40
14201-000037	08UR18.6-18	UniRam 18mm, 18" spacing, 0.6 GPH	1,000'	439.63	439.63
14201-000003	08UR18.6-24	UniRam 18mm, 24" spacing, 0.6 GPH	1,000'	382.26	382.26
14201-000005	08UR18.6-36	UniRam 18mm, 36" spacing, 0.6 GPH	1,000'	338.21	338.21

Additional diameters, spacings and flow rates available, please call Netafim USA Customer Service.
Subject to minimum order quantity of 3 coils.




Streamline Dripperline

Thinwall Dripperline

Item Number	Model Number	Description	Coil Length	Price Coil (Ea)	Price Per 1,000'
16523-000006	06SL8636.2-12	Streamline .636" diameter, 8 mil, 12" spacing, 0.2 GPH	9,000'	739.71	82.19
16523-000060	06SL8636.4-12	Streamline .636" diameter, 8 mil, 12" spacing, 0.4 GPH	9,000'	739.71	82.19
16523-000009	06SL8636.4-16	Streamline .636" diameter, 8 mil, 16" spacing, 0.4 GPH	9,000'	729.99	81.11
16523-000010	06SL8636.4-18	Streamline .636" diameter, 8 mil, 18" spacing, 0.4 GPH	9,000'	725.49	80.61
16523-000013	06SL8636.4-24	Streamline .636" diameter, 8 mil, 24" spacing, 0.4 GPH	9,000'	715.77	79.53


Non-flap emitter opening for above ground installations. For buried applications, specify flap emitter opening. Additional wall thicknesses, spacings and flow rates are available, please call Netafim USA Customer Service. Subject to minimum order quantity of 3 coils.

DRIPPERLINE AND PE TUBING FITTINGS



16mm (.520" - .540" I.D.) and 18mm (.620" I.D.) Fittings and Connectors

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-010720	H520IC-B	16mm Insert Coupling	50	18.00	0.36
	32500-014215	H620IC-B	18mm Insert Coupling	100	49.00	0.49
2	32500-011330	H520IT3-B	16mm Insert Tee	100	78.00	0.78
3	32500-012530	H520IE-B	16mm Elbow Insert Connector	100	63.00	0.63
4	32500-011020	H520IMA075-B	16mm Insert Adapter 3/4" MIPT	50	44.50	0.89
	00115-002150	H5703414018C-B	18mm Insert Adapter 1/2" MIPT	50	71.00	1.42
5	32500-013030	H620FIG8-B	16mm Figure 8 Line End	100	20.00	0.20
	32500-014430	H800FIG8-B	18mm Figure 8 Line End	100	45.00	0.45
6	00005-008960	58ISV520	16mm Inline Shut-Off Valve	1	-	2.43
	00005-008970	58ISV600	18mm Inline Shut-Off Valve	1	-	2.84



3/4" (.820" I.D.) Fittings and Connectors

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-021530	H820IC-B	3/4" Insert Coupling	100	96.00	0.96
2	32500-014827	H820IMA075-B	0.820" x 3/4" MPT Insert Adapter	50	54.00	1.08
3	78241-002500	58AP8900	3/4" Figure 8 Line End	1	-	1.23
4	00005-008990	58ISV820	3/4" Inline Shut-off Valve	1	-	4.73



Space-It™ and Thinwall Drinkerline (.636" I.D.) Fittings and Connectors

Key	Item Number	Model Number	Description	Bag Qty	Price Bag	Price Each
1	32500-016770	T630CB-B	0.636" TWD Insert Coupling with Rings	100	84.00	0.84
2	32500-016490	T630END-B	0.636" TWD End Plug with Ring	100	42.00	0.42
3	00115-004750	T6303620017C-B	0.636" TWD 1/2" MIPT Male Adapter	100	58.00	0.58
	00115-004850	T6303620017D-B	0.636" TWD 3/4" MIPT Male Adapter	100	79.00	0.79
4	00115-005150	T63036450170-B	0.636" TWD Connector with grommet (use with grommet on PVC - no grommet on PE)	100	104.00	1.04
5	45000-002750	TDBIT16.5	16mm PVC Drill Bit	1	-	22.15
6	00115-006250	T63042440170-B	0.636" TWD x Barb Connector with Valve	100	154.00	1.54

FILTRATION

Manual Disc Filters

Item Number	Model Number	Filter Size	Mesh	Flow Range (GPM)	Max. Press.	Price Each
70640-001200	25A45-120	3/4"	120	1-12	140 psi	24.00
70640-001300	25A45-140		140			
70641-001600	25A47-120	1"	120	5-26	140 psi	76.00
70641-001700	25A47-140		140			
70641-003420	25A17-120	1 1/2" Super	120	10-52	140 psi	157.00
70641-003430	25A17-140		140			
70641-003640	25A30-120	2" Dual	120	40-120	174 psi	398.00
70641-003660	25A30-140		140			
70640-006000	25A50-120G	3" Twin	120	80-175	140 psi	801.00
70640-006100	25A50-140G		140			

NOTES:

120 mesh recommended for Drippers, Spray Stakes, Misters and Sprinklers.

140 mesh recommended for Fogger applications.

Other mesh options available, please contact Netafim USA Customer Service for details.



3/4"



1"



1 1/2" Super



2" Dual



3" Twin



2" Compact Disc-Kleen



2" Disc-Kleen Battery



3" Disc-Kleen Battery

Automatic Disc-Kleen Filters

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
70641-007265	26ASK2A1LF120DCLAX*	2" Compact Disc-Kleen Low Flow - 1 Filter, 120 mesh	20-40	4,663.00
70641-007210	26ASK2A1-120DCLAX*	2" Compact Disc-Kleen - 1 Filter, 120 mesh	30-80	
70661-002065	26ASK2PP2120AC	2" Disc-Kleen - 2 Filters, 120 mesh AC Solenoid	50-160	5,566.00
70661-002067	26ASK2PP2120DC	2" Disc-Kleen - 2 Filters, 120 mesh DC Solenoid		
70661-002200	26ASK2PP3120AC	2" Disc-Kleen - 3 Filters, 120 mesh AC Solenoid	100-240	7,569.00
70661-002210	26ASK2PP3120DC	2" Disc-Kleen - 3 Filters, 120 mesh DC Solenoid		
70661-002250	26ASK2PP4120AC	2" Disc-Kleen - 4 Filters, 120 mesh AC Solenoid	150-320	9,811.00
70661-002260	26ASK2PP4120DC	2" Disc-Kleen - 4 Filters, 120 mesh DC Solenoid		
70661-003059	26ASK3PP3120AC	3" Disc-Kleen - 3 Filters, 120 mesh AC Solenoid	150-450	11,313.00
70661-004200	26ASK3PP3120DC	3" Disc-Kleen - 3 Filters, 120 mesh DC Solenoid		
70661-003305	26ASK3PP4120AC	3" Disc-Kleen - 4 Filters, 120 mesh AC Solenoid	250-600	14,398.00
70661-004210	26ASK3PP4120DC	3" Disc-Kleen - 4 Filters, 120 mesh DC Solenoid		
70661-003630	26ASK3PP5120AC	3" Disc-Kleen - 5 Filters, 120 mesh AC Solenoid	350-750	17,721.00
70661-003620	26ASK3PP5120DC	3" Disc-Kleen - 5 Filters, 120 mesh DC Solenoid		

* Backflush controller included.

2" and 3" Batteries are standard with polypropylene manifolds, plastic backflush valves and installed drain manifold- require separate purchase of backflush controller. Minimum pressure for backflush is 40 psi downstream. Maximum Pressure: 110-140 psi

Other mesh options available - please contact Netafim USA Customer Service for details.

FILTRATION



Galaxy Automatic Disc-Kleen Filters

Polymer Pods and Polypropylene Manifolds

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
70661-005800	26MSKPP2120AC	Galaxy Disc-Kleen - 2 Filters, 120 mesh AC Solenoid	400-800	19,926.00
70661-005830	26MSKPP2120DC	Galaxy Disc-Kleen - 2 Filters, 120 mesh DC Solenoid		
70661-006300	26MSKPP3120AC	Galaxy Disc-Kleen - 3 Filters, 120 mesh AC Solenoid	600-1,200	24,041.00
70661-006330	26MSKPP3120DC	Galaxy Disc-Kleen - 3 Filters, 120 mesh DC Solenoid		
70661-006700	26MSKPP4120AC	Galaxy Disc-Kleen - 4 Filters, 120 mesh AC Solenoid	800-1,600	36,051.00
70661-006730	26MSKPP4120DC	Galaxy Disc-Kleen - 4 Filters, 120 mesh DC Solenoid		
70661-007200	26MSKPP5120AC	Galaxy Disc-Kleen - 5 Filters, 120 mesh AC Solenoid	1,200-2,000	44,947.00
70661-007220	26MSKPP5120DC	Galaxy Disc-Kleen - 5 Filters, 120 mesh DC Solenoid		

Requires separate purchase of backflush controller.

Standard with installed drain manifold.

Minimum pressure for backflush is 40 psi downstream. Maximum Pressure: 90 psi

Larger battery sizes with flow ranges to 4200 GPM and other mesh options available - please contact

Netafim USA Customer Service for details.



Backflush Controllers

Item Number	Model Number	Description	Price Each
00105-001400	23AXF2ACDC-D	2 Station 24VAC/12VDC Controller	1,336.00
00105-002300	23AXF4ACDC-D	4 Station 24VAC/12VDC/12VDCL Controller	1,822.00
00105-004950	23AXF8ACDC-D	8 Station 24VAC/12VDC /12VDCL Controller	2,060.00

Mesh/Micron Equivalent

Mesh	Micron	Color
40	400	Blue
80	200	Yellow
120	130	Red
140	115	Black

Filtration Recommendations

Water Source	Filtration Method
Well*	Screen or Disc Filters
Surface (pond, lake, canal)	Disc Filters
Recirculated	Disc Filters

* A Hydrocyclone (sand separator) is recommended for well water with more than 3 PPM sand.

PRESSURE REGULATORS

3/4" Low Flow Pressure Regulators

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
31000-001000	32PRV.75-LF15V2	.25 - 4.4	15	-	8.30
31000-001120	32PRV.75-LF20V2		20		
31000-001200	32PRV.75-LF35V2	.25 - 4.4	35	-	8.30



3/4" Pressure Regulators

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30500-001100	32PRV.75-12V2K	4.5 - 17.6	12	1	13.00
30500-001300	32PRV.75-20V2K		20		
30500-001600	32PRV.75-35V2K	4.5 - 17.6	35	1	13.00
30500-002000	32PRV.75-65V2K		65		



1 1/2" Pressure Regulators

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30520-001100	32PRV1.5-12V2K	11 - 35	12	2	37.00
30520-001300	32PRV1.5-20V2K		20		
30520-001600	32PRV1.5-35V2K	11 - 35	35	2	37.00
30520-002000	32PRV1.5-65V2K		65		



2" Pressure Regulators

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30540-002200	32PRV2-412V2K	22 - 70	12	4	147.00
30540-002400	32PRV2-420V2K		20		
30540-002700	32PRV2-435V2K	22 - 70	35	4	147.00



Pressure Regulating Units

Item Number	Model Number	Nominal Output (psi)	Price Each
31500-001100	32PRVU-12V2K	12	9.10
31500-001300	32PRVU-20V2K	20	
31500-001600	32PRVU-35V2K	35	9.10
31500-002000	32PRVU-65V2K	65	



NOTES:

- 12 psi recommended for Thinwall Dripperlines.
- 20 psi recommended for Non-Compensating Drippers and Spray Stakes.
- 35 psi recommended for Sprinklers, Misters, Pressure Compensating Drippers and PC Spray Stakes.
- 65 psi recommended for Foggers.

Contact Netafim USA Customer Service for more pressure options.

AIR VENTS AND WATER METERS



1" Combination



2" Combination



3/4" & 1" Guardian



1" Guardian with
Shrader Valve



2" Guardian

Air Vents

Item Number	Model Number	Description	Connection	Price Each
70561-001100	65ARIB1	1" Combination Air/Vacuum Relief and Continuous Acting Air Vent with nylon body & plastic base	1" MPT	135.00
70561-001700	65ARIB2PP	2" Combination Air/Vacuum Relief and Continuous Acting Air Vent with polypropylene body & plastic base	2" MPT	168.00
70561-002500	65ARIA075	3/4" Guardian Air/Vacuum Relief Air Vent with nylon body	3/4" MPT	32.00
70561-002600	65ARIA100	1" Guardian Air/Vacuum Relief Air Vent with nylon body	1" MPT	32.00
70561-004800	65ARIA100S	1" Guardian Air/Vacuum Relief Air Vent with Shrader Valve & nylon body	1" MPT	38.00
70561-002700	65ARIA2	2" Guardian Air/Vacuum Relief Air Vent with nylon body	2" FPT	46.00

Price discounts available for case quantity purchases, please contact Netafim USA Customer Service for details.



Fertilizer Meters

Item Number	Model Number	Size and Body	Max. Flow (GPM)	Pulse (Gallons)	Connection	Price Each
70261-011000	36FMPO.75	3/4" Plastic Body	2.2	0.1	Threaded MPT	337.00
70261-011030	36FMPO.751	3/4" Plastic Body	2.2	1.0	Threaded MPT	337.00
70261-011300	36FMPVE1	1" PVC Body	44	1.0	Threaded MPT	861.00



Water Meters

Standard with Gallon Totalizer Register. Includes Pulse Reed Switch for pulsed output.

Item Number	Model Number	Size	Flow Range (GPM)*	Pulse (Gallons)	Maximum Pressure (psi)	Connection	Price Each
70261-002720	36M251T	1"	1.2 - 20	0.1	145	Threaded MPT	277.00
70261-003230	36M401.5T	1 1/2"	3.5 - 55	0.1	145		556.00
70261-005060	36WMR2T10	2"	8.8 - 110	10.0	230		544.00
70261-010220	36WST3F	3"	2.0 - 660	10.0	230	Flanged	918.00
70261-009200	36IRT3F	3"	45 - 500	10.0			804.00
70261-009500	36IRT4F	4"	50 - 688	10.0			1,047.00
70220-005300	36RD	Pulse Reed Switch		-	-	-	53.00

* Flow accuracy +/- 2%. Acre foot totalizer is available as a non-standard option.

VALVES

Maximum Recommended Flow Rates (GPM)

1"	1 1/2"	2"	3"	4"	6"
50	90	175	390	600	1300

Electric Throttling 2-Way Valves - 24VAC

Standard with built-in 2-Way solenoid

Item Number	Model Number	Size	Body	Connection	Carton Qty	Price Ea Ctn	Price Each
71610-014000	61ET1PBI	1"	Nylon	Threaded FPT	20	29.00	34.00
71610-014050	61ET1.5PBI2	1 1/2"	Nylon	Threaded FPT	8	72.00	83.00
71610-014500	61ET2PBI2	2"	Nylon	Threaded FPT	8	80.00	92.00



Electric 3-Way Valves - 24 VAC

Aquatic Solenoid

Item Number	Model Number	Size	Body	Connection	Price Each
-	V07020DGT054B01	2"	Nylon	Threaded FPT	252.00
-	V07030PGT054B01	3"	PVC		511.00
71610-015235	V07030PGS054C01	3"	PVC	Slip	497.00
-	V07040PGS054B01	4"			619.00
71610-015505	V07060PGS054D01	6"			1,653.00



Pressure Reducing Electric 3-Way Valves - 24 VAC

Aquatic Solenoid

Item Number	Model Number	Size	Body	Connection	Price Each
71610-016243	V32020DGT054C03	2"	Nylon	Threaded FPT	435.00
71610-017033	V32030PGT054C03	3"	PVC	Threaded FPT	697.00

2" and 3" valves have a Green Pilot Spring - 14-65 psi.
Additional springs for other pressure ranges available.



CONTROLLER



Aqua Pro Controller

Item Number	Model Number	Description	Price Each
37000-002000	AP-CONTROLLER	Aqua Pro Controller	77.28

Solenoids

Item Number	Model Number	Description	Price Each
71680-018370	61SDD2-L	DC Latching Solenoid for 2-Way Valves	34.00
35500-002000	3135500-002000	Aquative DC Latching Solenoid for 3-Way Valves	42.00

VALVES WITH CONTROLLERS



Aqua Pro Controller with Aquanet Valves

Item Number	Model Number	Description	Price Each
37000-001400	AP075	Aqua Pro Controller with 3/4" Aquanet DC Valve	114.62
37000-001700	AP100	Aqua Pro Controller with 1" Aquanet DC Valve	114.62



Aqua Pro Controller with Electric Throttling 2-Way Valves

Item Number	Model Number	Description	Price Each
71610-014070	61ET1.5PBI2-L-CONT	Aqua Pro Controller with 1 1/2" Electric Throttling 2-Way Valve	248.00
71610-014446	61ET2PBI2-L-CONT	Aqua Pro Controller with 2" Electric Throttling 2-Way Valve	257.00

CROP MANAGEMENT TECHNOLOGIES



NMC Controllers

Item Number	Model Number	Description	Price Each
74340-004977	31NMCJRSP	NMC Junior Irrigation Controller, 24VAC, 15 outputs, 6 digital/pulsed inputs, memory key backup, surge suppressor including power line protection 115VAC	2,111.00
74340-005105	31NMCJRSPCL	NMC Junior Irrigation Controller Double Door Box, 24VAC, 15 outputs, 6 digital/pulsed inputs, memory key backup, surge suppressor, including power line protection 115VAC	2,363.00
74340-005080	31NMCJRDC	NMC Junior Irrigation Controller, 12VDC, 15 continuous outputs, 6 digital/pulsed inputs, memory key backup	1,995.00
74340-022800	31NMCDC	NMC DC Irrigation Controller, 12VDC, 8 latching outputs, 4 digital/pulsed inputs, 4 analog inputs, memory key backup. Note: Up to 24 latch outputs 12VDC maximal.	2,843.00
74340-003095	31NMCPRO	NMC Pro Irrigation Controller, 24VAC, 16 outputs, 8 digital/pulsed outputs, memory key backup, surge suppressor including power line protection 115VAC with large enclosure	4,812.00
74340-014100	31NMCPROXPANBX	NMC Pro Expansion Box - for additional 64 outputs	1,638.00

NMC Controller Options and Sensors

Item Number	Model Number	Description	Price Each
Modular Input/Output Boards			
74340-008500	31NMC64OB	Output Board, 8 outputs, 24VAC (5 total boards per controller)	273.00
74340-008600	31NMC64OBDC	Output Board, 8 outputs, Dry Contact Relay	273.00
74340-008800	31NMC64IBDP	Input Board, 8 digital/pulsed inputs (must use Netafim Water Meter)	251.00
74340-008900	31NMC64IBA	Input Board, 11 analog inputs (must use Netafim Sensors)	293.00
Wired PC Communication Boards and Software			
74340-009200	31NMC64CC	Controller Communication Board, wired RS485	251.00
74340-009100	31NMCCR	Controller Communication Board, wired RS232	251.00
00107-006850	31NMCPCCKIT	PC Wired Communication Kit RS485 unit	1,569.00
74340-012800	31NMCPRO2RS485	Controller Communication Card 2XRS485	259.00
74340-009530	31NMCPROLICENSEKEY	License Key for 128 Remote Outputs	519.00
74340-009560	31NMCPROLICENSE256	License Key for 256 Remote Outputs	945.00
74340-014700	31NMC64UPKIT	NMC 64 to NMC Pro Upgrade Kit	1,596.00
Sensors			
33000-003320	31ECPHKIT	EC & pH Kit: Transmitter in Enclosure and Sensors for NMC Pro	1,907.00
74340-008200	31TEMP/RH	Temperature and Humidity Sensor	722.00
74340-010400	31RS	Radiation Shield for Temp and RH Sensors	287.00
74340-004100	31GHTRH	Greenhouse Temperature and RH Sensors in power vented box	764.00
74340-004200	31GHT	Greenhouse Temperature Sensor in power vented box	417.00
Accessories			
74340-023500	31SOLARPANEL	Solar Panel, Bracket and Battery	740.00

CROP MANAGEMENT TECHNOLOGIES

NetaJet

Precision Dosing and Irrigation System Control with NMC Pro System Manager

Item Number	Model Number	Description	Price Each
33000-005400	31NJPROSPH120	NetaJet US Pro 120VAC Single Phase, 2 Dosing channels for fert 60 GPH, 1 dosing channel for Acid 15 G/H with EC/pH sensors	11,427.00
33000-005410	31NJPROSPH220	NetaJet US Pro 220VAC Single Phase, 2 Dosing channels for fert 60 GPH, 1 dosing channel for Acid 15 G/H with EC/pH sensors	11,427.00
33000-005427	31NJPRO3PH240	NetaJet Us Pro 3 phase 240VAC, 2 Dosing channels for fert 60 GPH, 1 dosing channel for Acid 15 G/H with EC/pH sensors	11,928.00
33000-005432	31NJPRO3PH460	NetaJet Us Pro 3 phase 460VAC, 2 Dosing channels for fert 60 GPH, 1 dosing channel for Acid 15 G/H with EC/pH sensors	11,928.00

Optional Equipment

00107-006850	31NMCPCCKIT	PC Wired Interface Kit RS 485 with software	1,569.00
00107-010900	31NMC64PMKIT	Phone Modem Interface Kit with software	2,126.00
45000-006420	31PHTEST	Hand Held pH Tester	115.00
45000-006430	31ECTEST	Hand Held EC Tester	115.00
00105-003300	23GALPDBRAK	Filter Pressure Differential Switch with Mounting Bracket	519.00



FertiKit

Precision Dosing and Irrigation System Control with NMC Junior System Manager

Item Number	Model Number	Description	Price Each
33000-003949	FKITPB120LJUN	FertiKit PB 120VAC with NMC Junior, Single Phase Pump, 220VAC, 2 dosing channels for fert 32 GPH, 1 dosing for acid 10 GPH	5,780.00
33000-003948	FKITPB120LJUNECPH	FertiKit PB 120VAC with NMC Junior, Single Phase Pump, 220VAC, 2 dosing channels for fert 32 GPH, 1 dosing for acid 10 GPH with EC/pH control	7,440.00
33000-003952	FKITPB120LECPH	FertiKit PB 120VAC no controller, Single Phase Pump, 220VAC, 2 dosing channels for fert 32 GPH, 1 dosing for acid 10 GPH and EC/pH display	5,340.00

NOTE: Dealers must be trained and authorized to purchase FertiJet™, NetaJet, Galileo™ Control Systems, and NMC Controllers. Please contact your Netafim USA District Sales Manager for more information about authorization.



NETAFIM USA
5470 E. HOME AVE.
FRESNO, CA 93727
CS 888 638 2346
F 800 695 4753

www.netafimusa.com

GPL001 4/09